

Fire Hose Reels

Fire Hose Reels

Being the first product ever produced by Moyne, it is no surprise that the Moyne Roberts reel is the market leader in design. Our new range is the 5th generation of design and has evolved into the premier product in its field. The Moyne reel is unmatched for performance and quality.


Applications:

Protecting offices, tunnels, railway stations, airports and supermarkets, the applications for hose reels are endless.


Features:

- Full polyester coated steel side plates for high corrosion protection.
- Ergonomically designed impact resistant nozzle.
- Slim line models ideal for corridors and narrow passageways.
- Full brass internal parts for corrosion resistance and strength.
- Heavy duty flexible connector option.
- Fixed reels are supplied with plastic nozzle, jubilee clips, lever ball valve and hose guide.
- Automatic reels are supplied with plastic nozzle and jubilee clips.
- Nozzle lock option available.






SWINGING / MANUAL HOSE REELS

| MODEL | PRODUCT CODE | TYPE | HOSE DIAMETER | HOSE LENGTH | DISC DIAMETER | DIMENSION A | NOZZLE OUTPUT |  BS EN 671-1 | CE |
|--------|--------------|------------------|---------------|-------------|---------------|-------------|---------------|---|----|
| 3B19MM | 21101122 | SWING/ MANUAL | 19mm | 30m | 595mm | 215mm | 46l/m | ✓ | ✓ |
| 3B25MM | 21102122 | SWING/ MANUAL | 25mm | 30m | 595mm | 275mm | 48l/m | ✓ | ✓ |

SWINGING / AUTOMATIC HOSE REEL

| MODEL | PRODUCT CODE | TYPE | HOSE DIAMETER | HOSE LENGTH | DISC DIAMETER | DIMENSION A | NOZZLE OUTPUT |  BS EN 671-1 | CE |
|---------------|--------------|----------------|---------------|-------------|---------------|-------------|---------------|---|----|
| 3A19MM | 21111122 | SWING/ AUTO | 19mm | 30m | 595mm | 215mm | 46l/m | ✓ | ✓ |
| 3A25MM | 21112122 | SWING/ AUTO | 25mm | 30m | 595mm | 275mm | 48l/m | ✓ | ✓ |

Fire Hose Reels



FIXED / MANUAL HOSE REELS

| MODEL | PRODUCT CODE | TYPE | HOSE DIAMETER | HOSE LENGTH | DISC DIAMETER | DIMENSION A | DIMENSION B | NOZZLE OUTPUT | BS EN 671-1 | CE |
|-------|--------------|--------------|---------------|-------------|---------------|-------------|-------------|---------------|-------------|----|
| 1B | 21000100 | FIXED/MANUAL | 12mm | 20m | 360mm | 180mm | 122mm | 46l/m | X | ✓ |
| 1B | 21001110 | FIXED/MANUAL | 19mm | 20m | 480mm | 173mm | 112mm | 46l/m | ✓ | ✓ |
| 1B | 21001112 | FIXED/MANUAL | 19mm | 30m | 480mm | 230mm | 158mm | 46l/m | ✓ | ✓ |
| 1B | 21001120 | FIXED/MANUAL | 19mm | 20m | 595mm | 140mm | 78mm | 46l/m | ✓ | ✓ |
| 1B | 21001121 | FIXED/MANUAL | 19mm | 25m | 595mm | 163mm | 112mm | 46l/m | ✓ | ✓ |
| 1B | 21001122 | FIXED/MANUAL | 19mm | 30m | 595mm | 163mm | 112mm | 46l/m | ✓ | ✓ |
| 1B | 21002120 | FIXED/MANUAL | 25mm | 20m | 595mm | 163mm | 112mm | 48l/m | ✓ | ✓ |
| 1B | 21002121 | FIXED/MANUAL | 25mm | 25m | 595mm | 230mm | 158mm | 48l/m | ✓ | ✓ |
| 1B | 21002122 | FIXED/MANUAL | 25mm | 30m | 295mm | 230mm | 158mm | 48l/m | ✓ | ✓ |

FIXED / AUTOMATIC HOSE REELS

| MODEL | PRODUCT CODE | TYPE | HOSE DIAMETER | HOSE LENGTH | DISC DIAMETER | DIMENSION A | DIMENSION B | NOZZLE OUTPUT | BS EN 671-1 | CE |
|--------|--------------|------------|---------------|-------------|---------------|-------------|-------------|---------------|-------------|----|
| 1A19MM | 21011122 | FIXED/AUTO | 19mm | 30m | 595mm | 163mm | 112mm | 46l/m | ✓ | ✓ |
| 1A25MM | 21012122 | FIXED/AUTO | 25mm | 30m | 595mm | 230mm | 158mm | 48l/m | ✓ | ✓ |